

HALF YEARLY COMPLIANCE REPORT OF ENVIRONMENTAL CLEARANCE CONDITIONS

1. Name of the Project: **M/s MCC PTA India Corp. Private Limited – Haldia (WB)**
2. MOEF Clearance No. & Date: J-11011/139/2006-IA II(I) Dtd. June 19,2006
3. Period of Compliance Report: From 01.04.2014 to 30.09.2014

Sl. No	Specific conditions	Compliance Status
(i)	The gaseous emissions (SO ₂ , NO _x , HC & VOCs) from the various process units shall conform to the standards prescribed under Environment (Protection) Rules, 1986 or norms stipulated by the SPCB whichever is more stringent. At no time, the emissions level shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the units, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.	It is complied.
(ii)	Requisite numbers of ambient air quality monitoring stations, [SPM, SO ₂ , NO _x , &HC] shall be set up in the Petrochemical complex in consultation with SPCB, based on occurrence of maximum ground level concentration and down-wind direction of wind i.e maximum impact zone. The monitoring network must be decided based on modeling exercise to represent short-term GLCs. Continuous on-line stack monitoring equipment shall be installed for measurement of SO ₂ and NO _x . Data on VOCs shall be monitored and submitted to the SPCB / Ministry.	Emissions are monitoring from various units and within the permissible limit. Stack monitoring is being done by approved third party. Result of stack emission is attached herewith. (Refer Annexure – I) . Ambient Air quality monitoring was started from April'14 to June'2014. Results of April'14 to June'14 are enclosed as Annexure – IIa . On line ambient air quality monitoring station was commissioned in April'12. Results of April'14 to Sept'14 are enclosed as Annexure – IIb .

Sl. No	Specific conditions	Compliance Status
(iii)	<p>The company shall take measures for control of fugitive emissions for storage of Para –Xylene. Measures shall be taken for provision of double mechanical seals to all the pumps handling high vapors pressure materials, sensors for detecting HC/ toxic gas leakages at strategic locations, regular inspection of fixed roof tanks, maintenance of valves and other equipments.</p>	<p>Work environment monitoring is being done by the on-line static gas detectors, which are installed at various strategic locations inside the process plant & Tank farm area. These are being continuously monitored from DCS, which are provided with audio-visual signal & alarm. The static sampling will be conducted in December'13~January'14 for SPM, RPM, organic and inorganic vapors throughout the plant by third party. The result is enclosed in Annexure – IIc.</p>
(iv)	<p>All new standards/norms that are being proposed by the CPCB for petrochemical plants shall be applicable for the proposed PTA plant. The company shall conform to the proposed vent standards for organic chemicals including non-VOCs and all possible VOCs i.e. TOCs standard and process vent standards for top priority chemicals. The company shall install online monitors for VOC measurements. The project authorities shall take necessary measures to comply with the above proposed emission norms including monitoring facilities and intimate the same to this Ministry.</p>	<p>The new standards is being followed. The process vents is being monitoring regularly. On-line VOC monitors have been installed at various strategic locations.</p>
(v)	<p>M/s MCPI shall adopt Leak Detection And Repair (LDAR) program for quantification and control of fugitive emissions.</p>	<p>LDAR monitoring was done in our new plant. LDAR report is enclosed as Annexure-IIId.</p>

Sl.No	Specific conditions	Compliance Status
(vi)	To mitigate NOx emissions, the company shall install low NOx burners for hot oil heater. Adequate stack height for discharge of flue gas emissions from the hot oil heater, the DG set and incinerator shall be provided as per the CPCB guidelines.	Low NOx burner already provided for HOH. Adequate stack heights for HOH, DEG & Incinerator made as per CPCB guidelines.
(vii)	The company shall undertake measures for control of emissions by installation of scrubbers with adequate height as per the CPCB guidelines. All vents from the scrubber units shall be connected to off gas combustion system for complete incineration of off gases.	Scrubbers installed at various stages of the process & the vents from the scrubbers are connected to off-gas unit.
(viii)	As reflected in the EIA/EMP reports, the effluent generation shall not exceed 20832m ³ /d (8100m ³ /d of process effluent, 6615 m ³ /d from DM plant, and 120m ³ /d of domestic effluent and 600m ³ /d from other sources). The treated effluent after primary and secondary treatment shall comply with the standards stipulated by WBPCB/ Central Pollution Control Board. The treated effluent shall be discharged into the river Hooghly after conforming the prescribed standards.	The treated effluent is being discharged to river Hoogly only after meeting the prescribed standards. Separate effluent treatment plant has been constructed and the treated water of both the plants is being discharged through a common outlet. Monitoring data is attached herewith. (Refer Annexure – III)
(ix)	The company shall install incinerator for incineration of ETP and process sludge. The incinerator shall meet CPCB specifications.	The new incinerator was installed based on CPCB specifications & norms. At present Incinerator was stopped on temporary basis and Co-processing activity is on progress with M/s Ambuja Cement Limited, as per CPCB approval.
(x)	Green belt shall be provided to mitigate the effects of fugitive emissions all around the plant in an area of 10 ha in consultation with DFO as per CPCB guidelines.	Total plantations around the project have been completed & yearly maintenance of green belt is going on.
(xi)	Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	The Occupational health surveillance is conducted for the existing plant as well as new plant. All the records are kept and maintained in our occupational health center.

Sl.No	General conditions	Compliance Status
(i)	The project authorities must strictly adhere to the stipulations made by the West Bengal State Pollution Control Board and the State Government.	Complied
(ii)	No further expansion or modernization in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	No expansion is done
(iii)	At no time, the emissions should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the units, the respective units should be immediately put out of operation and should not be restarted until the desired efficiency has been achieved.	Yes it is complied
(iv)	All the recommendations made in the EIA/EMP report and risk assessment reports should be implemented.	The recommendations of the EIA/ EMP report and risk assessment report have been completed.
(v)	The overall noise levels in and around the plant area should be kept well within the standards (85Dba) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noise levels are being monitored periodically in the work environment as well as the ambient noise levels.
(vi)	The project authorities must strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in 2000 for handling of hazardous chemicals etc. Necessary approvals from Chief Controller of Explosives must be obtained before commission of the project.	All the relevant provisions of Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended till date will be followed. Approval/ License from CCOE, Nagpur already taken for Storage for Petroleum products.(No. P/HQ/WB/15/854(P28267)

Sl.No	General conditions	Compliance Status
(vii)	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collections/treatment/storage/disposal of hazardous wastes.	All the relevant provisions of Hazardous waste (Management, Handling & Transboundary Movement) Rules, 2008 as amended till date followed and necessary approval/ amendment is being taken from WBPCB.
(viii)	The project authorities will provide adequate funds both recurring and non recurring to implement the conditions stipulated by the Ministry of environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes.	Adequate funds for recurring and non-recurring for the implementation of Environment Management Plan (EMP) have already been allocated. Separate HSE expense budget prepared and approved.
(ix)	The stipulated conditions will be monitored by the Regional of this Ministry at Bhubaneswar/Central Pollution Control Board/State Pollution Control Board. A six monthly compliance report and the monitored data shall be submitted to them regularly.	Six monthly compliance report and monitoring data submitted to MoEF, Bhubaneswar, periodically.
(x)	The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the State Pollution Control Board/Committee and may also be seen at Website of the Ministry of Environment and Forests at http://www.envfor.nic.in . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional office.	Complied
(xi)	The Project Authorities should inform the Regional Office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of commencing of the land development work.	Complied