

J-11011/33/97-IA-II(I)

वाच

Telegram : PARYAVARAN,
NEW DELHI

पूरमाव :

Telephone :

टैलेक्स (द्विभाषीय) :

Telex : (bi-lingual) : W-88185 DOE IN

FAX : 4380878

भारत सरकार

पर्यावरण एवं वन मंत्रालय

GOVERNMENT OF INDIA

MINISTRY OF ENVIRONMENT & FORESTS

पर्यावरण भवन, सी. जी. ओ. कॉम्प्लेक्स

PARYAVARAN BHAWAN, C.G.O. COMPLEX

लोदी रोड, नई दिल्ली-110003

LODHI ROAD, NEW DELHI-110003

Dated 20.7.98

To

The Chairman & Managing Director,
Mitsubishi PTA India Group Pvt. Ltd.,
Siddha Point,
4th Floor, 101, Park Street,
Calcutta - 700016.

Sub: PTA Plant at Haldia, West Bengal - Environmental Clearance.

Sir,

This has reference to your application for setting up a PTA plant at Haldia forwarded by the West Bengal State Pollution Control Board vide letter No. 773-802/WB-NOC/96\97 dated 9th Sept., 1997 and subsequent clarifications submitted by you vide letter dated 24th Sept., 97 27th Nov., 97 7th Jan., 98 and 23rd Feb. 1998 & May, 98. The Ministry of Environment & Forests has carefully examined your application. It is observed that NOC from West Bengal State Pollution Control Board has been obtained.

2. The Ministry of Environment & Forests hereby accords Environmental Clearance subject to the strict compliance of the terms and conditions mentioned below. In addition all condition stipulated in the Annexure-1 should also be complied.

i. Gaseous and particulate emission (SPM, SO₂, CO, HC & NO_x) from the various process units should conform to the standards prescribed by the competent authorities from time to time. At no time, the emissions level should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the units, the respective unit should be put out of operation immediately and should not be restarted until the control measures are rectified to achieve the desired efficiency.

ii. Adequate number of air quality monitoring stations should be set up in the down wind direction as well as where maximum ground level concentrations of SPM, SO₂, NO_x are anticipated in consultation with the State Pollution Control Board. The air quality monitoring stations should be selected on the basis of modelling exercise to represent short term ground level concentrations, sensitive targets etc.

Stack emission should be monitored regularly by setting stack monitoring devices in consultation with the State Pollution Control Board.

Data on stack emissions and ambient air quality including work zone should be submitted to this Ministry once in six months and the State Pollution Control Board once in three months along with the statistical analysis.

iii. Work area air quality should meet the standards prescribed by the competent authorities/OSHA. Fugitive emissions (HC) should be controlled, regularly monitored and data recorded.

iv. Liquid effluents coming out of the plant and the township should conform to the standards prescribed by the competent authorities from time to time. Recycling and reuse of the treated waste water should be maximised to the extent possible. Tertiary treatment facilities should be provided as committed in the EMP.

v. Guard ponds of sufficient holding capacity should be provided to cope up with the effluents discharge during the process disturbances. The contributing units should be immediately shut down and should not be restarted without bringing the system back to normalcy.

vi. Adequate number of effluent quality monitoring stations should be set up in consultation with the State Pollution Control Board. Regular monitoring should be carried out for PH, SS, BOD₃, COD. The monitored data along with statistical analysis and interpretation in the form of a report should be submitted to this Ministry once in six months and the SPCB once in three months.

vii. A study to assess the impact on Hooghly River due to disposal of treated effluent should be carried out. The marine outfall point and route of the pipeline should be finalized.

based on the recommendation of the marine impact study before commissioning the project. Approval from WBSPCB should be obtained for the above.

- viii. Permission under CRZ Notification must be obtained for the proposed facilities in the coastal stretch, if applicable and the conditions strictly adhered to.
- ix. A secured double lined landfill should be developed for disposal of solid waste by providing impervious liner and leachate collection system. The design of the landfill site should be submitted within 3 months for Ministry's consideration and approval.
3. This Ministry or any competent authority may stipulate any further conditions on receiving reports from the project authorities. The above conditions will be monitored by the Regional Office of this Ministry at Bhubneshwar/WBSPCB/CPCB.
4. The Ministry may revoke or suspend the clearance if implementation of any of the above conditions is not satisfactory.
5. Any other conditions or alteration in the existing conditions will be fully implemented by the project authorities within the specified time frame.
6. The above conditions will be implemented under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and the Public (Liability) Insurance Act 1991 along with their amendments.

Dr. R. Warriar

(Dr. R. Warriar)
Joint Director.

Copy to:

1. The Secretary, Ministry of Industry, Udyog Bhawan New Delhi
2. The Chairman, West Bengal Pollution Control Board, Calcutta.
3. The Chairman, Central Pollution Control Board, East Arjun Nagar, CBD-Cum-Office Complex, Parivesh Bhawan, Delhi.
4. The Secretary, State Deptt. of Env. Govt of West Bengal
5. The Chief Conservator of Forests, Regional Office, Bhubneshwar.,

6. Addl. Director (Monitoring Cell)
7. Jt. Secretary. (EI Divison),
8. Guard File.
9. Record File.
10. Monitoring File.

Shawler
(Dr. R. Warriar).
Joint Director.

ANNEXURE.

1. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
2. No further expansion or modifications in the plant should be carried out without prior approval of this Ministry.
3. The hazardous wastes should be handled as per hazardous Waste (Management & Handling) Rules, 1989 of the Environment (Protection) Act, 1986.
4. Handling, manufacturing, storage and transportation of Hazardous chemicals should be carried out in accordance with the manufacture storage and Impact of Hazardous Chemicals Rule, 1989 as ammended in Oct. 1994. The approval of the Chief Inspector of Explosives should be obtained.
5. Medical surveillances and occupational health programme should be taken up on regular basis and record of the health status of the workers should be maintained.
6. A Green belt of adequate width and desity (2000-2600 trees/ha) should be raised all around the factory complex and the township. Preferably native plant species should be selected for this prupose in consultation with the local DFO.
7. A seperate environmental Management Cell with laboratory facilities should be set up under the supervision of a Senior Executive to carry out the various functions.
8. The funds earmarked for the environmental protection measures should be kept in a separate account and should not be diverted for other purpose and Year-wise expenditure should be reported to this Ministry.

F. No. J-11011/33/1997-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Indira Paryavaran Bhawan
Jal Wing, 3rd Floor, Jor Bag Road,
New Delhi -110003

Dated: 19th January, 2021

To,

M/s MCPI Private Limited
Village and PO Bhuniaraichak,
Tehsil Sutahata, District Purba Midnapore
West Bengal

Sub: PTA Plant at Haldia, West Bengal by M/s. Mitsubishi PTA India Group Pvt. Ltd. - Transfer of Environment Clearance regarding.

Sir,

This has reference to your online proposal vide no. IA/WB/IND2/145638/2020 dated 20th July, 2020 regarding transfer of environmental clearance to the above project, from M/s. Mitsubishi PTA India Group Pvt. Ltd. (now known as M/s. MCC PTA India Corp. Private Limited) to M/s MCPI Private Limited.

2. Ministry of Environment, Forests and Climate Change vide letter No. J-11011/33/1997-IA-II(I) dated 20th July, 1998 has granted environmental clearance to M/s. Mitsubishi PTA India Group Pvt. Ltd. (now known as M/s. MCC PTA India Corp. Private Limited) located at Siddha Point, 4th Floor, 101, Park Street, Calcutta for the project PTA plant at Haldia, West Bengal.

3. Now, M/s MCPI Private Limited has informed that the name of the company has been changed from M/s MCC PTA India Corp. Private Limited to M/s Materials Chemicals and Performance Intermediaries Private Limited w.e.f. 16th September, 2016 pursuant to fresh certificate of Incorporation issued by the Registrar of Companies, West Bengal without change of ownership and Directors of the company. The ownership of the company was transferred to The Chatterjee Group (TCG) on 11th November, 2016 and the Boards of Directors of the Company were reconstituted on the same day. Due to certain business requirements, the name of the company again changed to MCPI Private Limited with effect from July 28, 2017 pursuant to fresh Certificate of Incorporation issued by the Registrar of Register of Companies, West Bengal, without change of ownership. In this regard, a copy of Certificate of Incorporation registered with the Registrar of Companies, Kolkata (West Bengal) with CIN:U24299WB1997PTC088796 is also submitted.



4. M/s MCPI Private Limited has also submitted (i) a copy of undertaking as an affidavit signed by Debi Prasad Patra, Whole Time Director of the company to abide by the terms and conditions prescribed in the environmental clearance No. J-11011/33/1997-IA-II(I) dated 20th July, 1998 and (ii) a copy of No Objection Certificate as an affidavit from M/s MCC PTA India Corp. Private Limited (Earlier known as M/s. Mitsubishi PTA India Group Pvt. Ltd.) to transfer the erstwhile EC in the name of M/s MCPI Private Limited.

5. As per the relevant provisions of the EIA Notification, 2006, the environmental clearance to the project for **PTA Plant at Haldia, West Bengal by M/s. Mitsubishi PTA India Group Pvt. Ltd.** granted by this Ministry vide letter of even No. dated 20th July, 1998 is hereby transferred **from** M/s. Mitsubishi PTA India Group Pvt. Ltd. (now known as M/s. MCC PTA India Corp. Private Limited) to M/s MCPI Private Limited, on the same terms and conditions under which prior environmental clearance was initially granted.

6. This issues with approval of the competent authority.

31.01.2024

(Ashok Kr. Pateshwary)
Director

Copy to:-

1. The Principal Secretary, Department of Environment & Forest, 5th Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata – 700 106
2. The Addl. Principal Chief Conservator of Forests (C), Ministry of Env., Forest and Climate Change, Regional Office (EZ), A/3, Chandersekharapur, Bhubaneswar-751023
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, West Bengal Pollution Control Board, Paribesh Bhawan 10A, Block-LA, Sector-III Bidhannagar, Kolkata-700 106
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, New Delhi
6. District Collector, Purba Midnapore, West Bengal.
7. Guard File/Monitoring File/ Parivesh Portal /Record File

(Ashok Kr. Pateshwary)
Director
E-mail:ak.pateshwary@gov.in
Tel. No. 24695290